



LIABILITY DISCLOSURE

The supplier is not liable for damages caused by negligence in the following areas:

1. This is an electronic device and must be grounded!
2. Persons with disabilities or small children should not be allowed to use this product without supervision.
3. This product is an electrical device, please pay attention to a proper installation.

Make sure there is proper ventilation.

SAFETY INSTRUCTIONS





1. Do not insert or remove any electrical plug with wet hands. Electrical shock may occur.
2. Do not damage the power cord and the plug.
Otherwise there is a risk of electric shock, short circuit and fire.
3. Do not use a damaged electrical plug, cord or a loose plug-in. Any negligence could result in electrical shock, fire, short circuit or damage to your product may occur.
4. An electrical installation should be installed professionally. Any negligence could result in electric shock, short circuit, fire or damage to your device.
5. Do not disassemble any device without expert knowledge. Any negligence could result in electric shock, short circuit, fire or damage to your device.
6. Do not allow any fluids of any kind to come in contact with the electrical components.
Any negligence could result in electric shock, short circuit, fire or damage to your device.
7. Caution! Please pay attention to the water flow direction. Negligence can cause irreparable damage to your device.
8. Don not bend, twist or bend the steel water hose, this could cause a leak.




TECHNICAL SPECIFICATIONS

Wash	Rear Wash	•
	Lady Wash	•
	Adjustable Water temperature settings	5 Settings (Standard 3)
	Adjustable Flow Rate	5 Settings (Standard 3)
Hygiene	Nozzel Self cleaning	•
	Nozzel Manually cleaning	•
	Night-light	•
	Soft Closing Seat and Cover	•
	Body Knob with Breathing Lamp	•
	Rimless toilet	•
	Installation of the toilet	Wall-hung
	Water Supply connector	G 3/8"
	Rated Voltage	AC 220-240 V, 50/60 Hz
	Power	950 W
Wash Device	Lenght of Power cord	1,80 m
	Water Supply pressure	0,07 - 0,75 MPa (0,7-7,5 bar)
	Water Supply temperature	4°C - 35°C
	Ambient temperature	4°C - 40°C
	Waterproof rating	IPX4
	Flow rate	350 ~ 650 mL/min
	Water temperature	31°C - 39°C
	Wash Cycle time	3 minutes
	Heating Model	Tank
	Maximum Heater power	1200 W
	Safety device	Thermal fuses, Level switch, Thermostat
	Backflow Prevention	Air Gap
	Other Safety device	Residual current devices
	Net weight	32 kg
	Dimension	B 384 x T 593 x H 380 mm

TECHNICAL DRAWINGS





OVERVIEW



REAR WASH / LADYWASH

- In the „seat-down“ position




You can operate by rotating the knob. Rotate the knob in the clockwise direction to activate Ladywash and the anticlockwise direction for Rear Wash. It will stop after 3 minutes.

Note: While Rear Wash or Ladywash, it will wash at the fixed position for about 10 seconds and movable wash for about 18 seconds, then regain to the fixed position until to the end.

STOP OPERATION

In the process of Rear Wash or Ladywash, press the knob it will stop washing.




ADJUSTING WATER FLOW RATE

In the process of Rear Wash or Ladywash you can operate by rotating the knob. The flow rate will increase in the clockwise direction and decrease in the anticlockwise direction.

ADJUSTING WATER TEMPERATURE

In the process of Rear Wash or Ladywash. Always press the knob and rotate it. The water temperature will be increased in the clockwise direction and be decreased in the anticlockwise direction.



BREATHING LAMP SETTING

Always on by default. Open the cover and be seated, without washing, then always press the knob for 6 seconds. The breathing lamp will be lighted off. It will be lighted up again when pressing then knob for 6 seconds.


NIGHT LIGHT

Always on mode for the night light by default. Open the cover and seat then rotate the knob in the anticlockwise direction. The night light will be on the deferent mode just as „close“, „always on“, „smart“.

NOTE: The „smart“ mode refers that the night light will light up in a dark environment and light off in a bright environment.

POWER STANDBY SETTING

In the state without seating. Keep pressing the knob for more than 6 seconds, it will go into power standby mode. Press again the knob for more than 6 seconds to restart it.








NOZZLE CLEANING

The nozzle will be cleaned before washing and after washing.

The operation of manual cleaning is as follows.

Open the cover and seat then rotate the knob in the clockwise direction. Then the nozzle will extend with cleaning water. It will return after 5 minutes or press the stop button.



SELF-CLEAN THE TANK

Not used for more than 72 hours, when the user operates the washing, it will open the self-cleaning for about 30 seconds. All the buttons are invalid during the self-cleaning and it will return to normal after the self-cleaning.



DE ERKLÄRUNG

Die Bedienungsanleitung dient nur als Referenz. Diese Anleitung kann abweichende Angaben enthalten. Die beschriebenen Produkte können jederzeit aktualisiert werden. Die Zeichnungen in dieser Anleitung dienen nur zur Darstellung und haben keinen Anspruch auf Aktualität.

EN STATEMENT

This instructions should only be considered as a standard manual. Modifications applied to updated version of the product might not be mentioned inside this document. In this case, please just use the manual as a reference. The company reserves modification rights.

FR EXPLICATIONS

Les renseignements figurant dans cette notice de montage ne sont communiqués qu'à titre d'information et peuvent être mis à jour sans préavis. Toutes les figures et dessins présents dans ces instructions sont uniquement à titre d'illustration et n'ont aucune valeur d'actualité.

IT DICHIARAZIONE

Il seguente manuale è solo una guida standard. Nel caso in cui dovessero essere presenti errori, dovuti a eventuali modifiche postume del prodotto, si prega di considerare il manuale unicamente come riferimento per il montaggio. L'azienda si riserva il diritto di modifica.